


RD-A155 474      ELECTROSTATIC ION CYCLOTRON INSTABILITY DUE TO A      1/1  
NONUNIFORM ELECTRIC FIELD. (U) NAVAL RESEARCH LAB  
WASHINGTON DC      G GANGULI ET AL. 28 MAY 85 NRL-MR-5549  
UNCLASSIFIED      F/G 20/3      NL



END  
F/G 20/3  
NL



MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS-1963-A

(2)

NRL Memorandum Report 5549

# Electrostatic Ion Cyclotron Instability Due to a Nonuniform Electric Field Perpendicular to the External Magnetic Field

G. GANGULI AND Y. C. LEE\*


Science Applications International Corporation  
McLean, VA 22102

\*University of Maryland  
College Park, MD 20740

P. PALMADESSO

Geophysical and Plasma Dynamics Branch  
McLean, VA 22102

AD-A155 474



May 28, 1985

This work was supported by the National Aeronautics and Space Administration  
and the Office of Naval Research.



NAVAL RESEARCH LABORATORY  
Washington, D.C.

Approved for public release; distribution unlimited.

85 06 6 043

DTIC FILE COPY

SECURITY CLASSIFICATION OF THIS PAGE

## REPORT DOCUMENTATION PAGE

1a REPORT SECURITY CLASSIFICATION <b>UNCLASSIFIED</b>		1b RESTRICTIVE MARKINGS			
2a SECURITY CLASSIFICATION AUTHORITY		3 DISTRIBUTION-AVAILABILITY OF REPORT			
2b DECLASSIFICATION/DOWNGRADING SCHEDULE		<b>Approved for public release; distribution unlimited.</b>			
4 PERFORMING ORGANIZATION REPORT NUMBER(S) <b>NRL Memorandum Report 5549</b>		5 MONITORING ORGANIZATION REPORT NUMBER(S)			
6a NAME OF PERFORMING ORGANIZATION <b>Naval Research Laboratory</b>	6b OFFICE SYMBOL (if applicable) <b>Code 4780</b>	7a NAME OF MONITORING ORGANIZATION			
7c ADDRESS (City, State, and ZIP Code) <b>Washington, DC 20375-5000</b>		7b ADDRESS (City, State, and ZIP Code)			
8a NAME OF FUNDING SPONSORING ORGANIZATION <b>NASA and ONR</b>	8b OFFICE SYMBOL (if applicable)	9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER			
9c ADDRESS (City, State, and ZIP Code) <b>Washington, DC 20546      Arlington, VA 22217</b>		10 SOURCE OF FUNDING NUMBERS			
		PROGRAM ELEMENT NO <b>(See page ii)</b>	PROJECT NO	TASK NO	WORK UNIT ACCESSION NO
11 TITLE (Include Security Classification) <b>Electrostatic Ion Cyclotron Instability Due to a Nonuniform Electric Field Perpendicular to the External Magnetic Field</b>					
12 PERSONAL AUTHORIS <b>Ganguli, G.,* Lee, Y.C.,† and Palmadesso, P.</b>					
13a TYPE OF REPORT <b>Interim</b>	13b TIME COVERED FROM _____ TO _____	14 DATE OF REPORT (Year, Month, Day) <b>1985 May 28</b>		15 PAGE COUNT <b>22</b>	
16 SUPPLEMENTARY NOTATION    *Science Applications International Corporation, McLean, VA 22102					
† Present address: University of Maryland, College Park, MD 20740    (Continues)					
17 COSATI CODES			18 SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP	Nonlocal	Localized electric field	
			Ion-cyclotron turbulence	Positive-negative energy	
19 ABSTRACT (Continue on reverse if necessary and identify by block number)					
<p>We suggest a new mechanism that can destabilize the kinetic ion cyclotron waves in the presence of a nonuniform electric field perpendicular to the uniform ambient magnetic field. In the absence of the electric field the mode energy is positive while in the presence of a uniform electric field the mode energy could be negative. However, when the electric field is nonuniform, it is possible for a finite region to be of negative wave energy surrounded by regions of positive wave energy. A nonlocal wave packet couples the two regions so that a flow of energy from the region of negative wave energy to the region of positive wave energy will cause the mode to grow. This gives rise to the instability. <i>Ref. 1, 2, 3, 4</i></p>					
20 DISTRIBUTION AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED UNLIMITED <input type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS			21 ABSTRACT SECURITY CLASSIFICATION <b>UNCLASSIFIED</b>		
22a NAME OF RESPONSIBLE INDIVIDUAL <b>P. J. Palmadesso</b>			22b TELEPHONE (Include Area Code) <b>(202) 767-6780</b>	22c OFFICE SYMBOL <b>Code 4700.1P</b>	

DD FORM 1473, 34 MAR

83 APR edition may be used until exhausted  
All other editions are obsolete

SECURITY CLASSIFICATION OF THIS PAGE

SECURITY CLASSIFICATION OF THIS PAGE

**10. SOURCE OF FUNDING NUMBERS**

PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.
61153N		RR033-02-44 W-15494	DN380-475 DN430-607

**16. SUPPLEMENTARY NOTATION (Continued)**

This work was supported by the National Aeronautics and Space Administration and the Office of Naval Research.

SECURITY CLASSIFICATION OF THIS PAGE

## CONTENTS

I. INTRODUCTION .....	1
II. THEORY AND RESULTS .....	1
III. CONCLUSIONS .....	5
ACKNOWLEDGMENTS .....	11
BIBLIOGRAPHY .....	11



B

Accession File No. *[Handwritten]*

NTIS Catalog	<input checked="" type="checkbox"/>
DTIC File	<input type="checkbox"/>
Unpublished Report	<input type="checkbox"/>
Journal Article	<input type="checkbox"/>
Book	<input type="checkbox"/>
Reference Book	<input type="checkbox"/>
Microfilm	<input type="checkbox"/>
Microfiche	<input type="checkbox"/>
Other	<input type="checkbox"/>

A-1



## ELECTROSTATIC ION CYCLOTRON INSTABILITY DUE TO A NONUNIFORM ELECTRIC FIELD PERPENDICULAR TO THE EXTERNAL MAGNETIC FIELD

### I. Introduction

The ion cyclotron instability has been of importance to both space and laboratory plasmas. In most previous studies, field aligned currents or ion beams have been cited as the driving mechanism<sup>1</sup>. Recently some laboratory experiments<sup>2</sup> have reported ion cyclotron instability in circumstances in which neither of the above mechanisms provides a satisfactory free energy source, and the existence of a two dimensional electric field is conjectured to play a role. Further, unstable ion cyclotron waves have been reported in connection with double layers<sup>3</sup> and electrostatic shocks<sup>4</sup>. In all these cases a localized electric field perpendicular to the external magnetic field is an intrinsic feature of the equilibrium. The purpose of this letter is to report a new kinetic ion cyclotron instability driven by a nonuniform electric field perpendicular to the external magnetic field which could be of importance to the situations referred above<sup>2-4</sup>.

### II. Theory and Results

Using physical arguments we first establish that an equilibrium characterized by an external uniform magnetic field  $B_0$  (in the  $z$  direction) perpendicular to an external nonuniform electric field  $E_0(x)$  (in the  $x$  direction) is unstable to the electrostatic ion cyclotron waves. The local dispersion relation of the electrostatic ion cyclotron waves<sup>5</sup> is given by,

$$D(\omega, k) = 1 + \tau + \sum \Gamma_n(\underline{b}) \left( \frac{\omega - n\Omega_i}{|k_{\parallel}|v_i} \right) Z \left( \frac{\omega}{|k_{\parallel}|v_i} \right) + \tau \left( \frac{\omega}{|k_{\parallel}|v_e} \right) Z \left( \frac{\omega}{|k_{\parallel}|v_e} \right) = 0 \quad (1)$$

where  $(k\lambda_i)^2 \ll 1$  is assumed. Also  $\tau = T_i/T_e$ ,  $v_{i,e}$  are the ion and electron thermal velocities,  $\Omega_i = eB_0/m_i c$  is the ion gyro radius,  $k_{\parallel}$  and  $k_{\perp}$  are the parallel and perpendicular components of the wave vector (with respect to  $B_0$ ),  $\Gamma_n(\underline{b}) = I_n(\underline{b}) \exp(-\underline{b})$ ,  $\underline{b} = k_{\perp}^2 \rho_i^2 / 2$ ,  $\rho_i = v_i/\Omega_i$  and  $I_n$  are the modified Bessel's functions. Setting  $k_{\parallel} \rightarrow 0$  one obtains the dispersion relation for the Bernstein modes (BM),

$$D_{BM}(\omega, k) = 1 - \Gamma_0 - \sum_{n>0} \frac{2\omega^2}{\omega^2 - n^2 \Omega^2} \Gamma_n = 0, \quad (2)$$

and if  $(\omega/v_e) \ll k_{||} \ll (\omega - n\Omega_i)/v_i$ , then one gets the corresponding expression for the ion cyclotron modes (IC),

$$D_{IC}(\omega, k) = 1 + \tau - \Gamma_0 - \sum_{n>0} \frac{n^2}{\omega^2 - n^2\Omega^2} = 0. \quad (3)$$

For the time being we neglect all the natural dampings. In the local approximation the energy density of the electrostatic waves is proportional to  $\partial(\omega D)/\partial\omega \approx \omega\partial D/\partial\omega$ . Thus the energy density  $U$ , of both the BM & IC waves is given by

$$U \propto \omega(\partial D/\partial\omega) = \omega \left\{ \sum_{n>0} \omega \frac{4\Gamma_0 n^2 \Omega^2}{(\omega^2 - n^2\Omega^2)^2} \right\} = \omega^2 \sigma(\omega), \quad \sigma > 0. \quad (4)$$

Clearly  $U$  is positive definite and thus the waves are positive energy waves.

We now introduce a uniform electric field  $E_0$  in the  $x$  direction. This initiates a drift of magnitude  $V_E = cE/B$  in the  $y$  direction. Thus, other than a Doppler shift (i.e.,  $\omega \rightarrow \omega_1 = \omega - k_y V_E$ ) there is no change in the dispersion relations given in (2) and (3). The energy density of the Doppler shifted waves  $U'$ , is given by,

$$U' = \omega \omega_1 \sigma(\omega_1). \quad (5)$$

While  $U$  is positive definite  $U'$  can be negative provided  $0 < \omega < k_y V_E$  thereby giving the waves a negative energy density.

Clearly a uniform electric field perpendicular to the external magnetic field can convert the positive energy waves into negative energy waves. However, as long as the electric field is uniform, a transformation to another frame moving with a velocity  $V_E$  will enable the waves to get back the positive energy character. This is no longer possible once the electric field is nonuniform. For example consider a specific model for the external electric field,

$$E_0(x) = \begin{cases} E_0, & -\frac{L}{2} \leq x \leq \frac{L}{2} \\ 0, & \text{otherwise} \end{cases}$$

As the main objective of this letter is to demonstrate and discuss the new instability we have chosen a somewhat idealized electric field profile for relative ease in computation and transparency of the physics involved. Since  $E$  is localized in  $x$  over a distance  $L$  ( $L > \rho_i$ ), one finds that a negative wave energy region I, is surrounded by positive wave energy regions II (See Figure 1). A nonlocal wave packet can couple these regions and a flow of energy from region I to region II can enable the mode to grow. This gives rise to the instability. This is essentially a nonlocal instability with no local limit. The negative energy wave framework has been previously used<sup>6</sup> to explain other plasma instabilities at a local level. Ours is a nonlocal instability similar in concept with Lau<sup>7</sup> et. al who apply this concept to an astrophysical problem.

Since the  $x$  direction is nonuniform we use nonlocal differential equations<sup>5</sup> in the regions I and II to analyze this case. Dissipation processes such as Landau damping are now included.

$$\underline{\text{REGION - I:}} \quad \left\{ \frac{\partial^2}{\partial \xi^2} + \kappa_I^2 \right\} \Phi_I(\xi) = 0, \quad (6)$$

$$\underline{\text{REGION - II:}} \quad \left\{ \frac{\partial^2}{\partial \xi^2} + \kappa_{II}^2 \right\} \Phi_{II}(\xi) = 0, \quad (7)$$

where  $\xi = x/\rho_i$ ,  $\kappa_I^2 = Q_I/A_I$  and

$$Q_I = 1 + \tau + \sum \Gamma_n \left( \frac{\omega_1}{|k_{\parallel}|v_i} \right) Z \left( \frac{\omega_1 - n\Omega_i}{|k_{\parallel}|v_i} \right) + \tau \left( \frac{\omega_1}{|k_{\parallel}|v_e} \right) Z \left( \frac{\omega_1}{|k_{\parallel}|v_e} \right), \quad (8)$$

$$A_I = -\frac{1}{2} \sum \Gamma_n \left( \frac{\omega_1}{|k_{\parallel}|v_i} \right) Z \left( \frac{\omega_1 - n\Omega_i}{|k_{\parallel}|v_i} \right), \quad (9)$$

$$\Gamma_n' = \frac{\partial}{\partial b} \Gamma_n, \quad b = k_y^2 \rho_i^2 / 2.$$

$\kappa_{II}^2$  is identical to  $\kappa_I^2$  if  $\omega_1$  is replaced by  $\omega$ . The solutions in region I is,

$$\phi_I(\xi) = \phi_{0I} \cos(k_I \xi), \quad (10)$$

while in region -II it is,

$$\phi_{II}(\xi) = \phi_{0II} \exp(i k_{II} \xi + i\delta), \quad (11)$$

where  $\phi_{0I}, \phi_{0II}$  and  $\delta$  are constants. Demanding that the logarithmic derivative of the solutions be continuous at  $\xi = L/2\rho_i$  we obtain the nonlocal dispersion relation,

$$-k_I \tan(k_I/2\varepsilon) = ik_{II}, \quad (12)$$

where  $\varepsilon = \rho_i/L$ . Given the parameters, we use a numerical root finder to solve (12) for the complex frequency  $\omega$ . As a boundary condition we demand that the solution vanish at  $\infty$ , i.e.,  $\text{Im}(k_{II}) > 0$ . It should be remarked that since the electric field has a sharp profile our treatment at the second order differential equation level can be improved by employing an integral equation formulation. However, such a formulation is mathematically cumbersome and does not provide a simple and clear interpretation of the physics involved. Thus, for the time being, we stress simplicity and clarity over greater accuracy which will be provided in the future.

Figure 2 is a plot of the real and imaginary parts of the frequency,  $\omega_r/\Omega$  and  $\gamma/\Omega$ , against  $b$  for  $\tau = 0$ ,  $V_E = 2.9v_i$ ,  $\varepsilon = 0.3$ ,  $u = k_y/k_z = 0.001$  and  $\mu = m_i/m_e = 1837$ . The instability exists only for a very narrow band of  $k_y$  thereby making it very coherent. The real part of the frequency is large ( $\omega \sim 1.60\Omega_i$ ) compared to the first harmonic. Also the instability peaks for  $k_0 \sim 0(1)$ . These features are in keeping with the observations of Mozer<sup>4</sup> et. al.

Figure 3 is a plot of  $\gamma/\Omega_i$  against  $u$  for  $\tau = 0, 0.5$  and  $1.0$  and  $b = 0.57$  while other parameters are similar to the Figure 2. Clearly this instability prefers small  $u$  (perpendicular propagation), again in keeping with Mozer et. al<sup>4</sup>. For  $\tau = 0$ ,  $u$  can get as high as 0.15 but for higher  $\tau$  the value of  $u$  is even smaller. For  $u \sim 0.01$  larger  $\tau$  implies

more electron Landau damping which reduces the growth rate.

Figure 4 is a plot of  $\omega$  against  $\epsilon$  for  $u = 10^{-4}$  and other parameters similar to Figure 2. Our theory at the second order differential equation level is valid for  $\rho_i < L$  (i.e.,  $\rho_i < L$ ). For  $\rho_i > L$  situations an integral equation formulation will become necessary. For most of the laboratory experiments  $L \sim (2 \text{ to } 3)\rho_i$ , for which our theory holds. Figure 3 indicates that the instability is more severe for smaller  $L$  (i.e., for strongly localized electric fields) and disappears for  $L > 7\rho_i$ , for the given parameter range.

Figure 5 is a plot of  $\gamma/\Omega_i$  against  $\bar{V}_E (= V_E/v_i)$  for  $b = 0.57$ ,  $\tau = 1.0$ ,  $\epsilon = 0.3$  and  $u = 10^{-4}$ . The instability exists for  $\bar{V}_E$  between 2.8 and 3.2 peaking at around 3. The peak value of  $\bar{V}_E$  in both Mozer et al.<sup>4</sup> and Merlino et al.<sup>3</sup> is well above the minimum necessary for this instability. Further,  $\omega_1 \approx -\Omega_i$  is necessary for the onset.

### III. Conclusions

In this letter we give a new mechanism that can explain the occurrence of the short wavelength ( $k\rho_i \sim 1$ ) turbulence around the ion cyclotron frequency in the presence of a nonuniform electric field perpendicular to the external magnetic field. This instability is driven by the coupling of the positive and negative energy ion cyclotron waves. Ion cyclotron turbulence has been observed associated with shocks<sup>4</sup> in the magnetosphere and with double layers<sup>3</sup> both in laboratory and space plasmas, where a strongly localized electric field perpendicular to the magnetic field is present. Thus the instability mechanism described in this letter could play a significant role in such situations. We would also like to note that the mechanism of the instability given here is general and can be applied to other instabilities as well. For example, a study of lower hybrid wave excitation by this mechanism is in progress and will be the subject of a future article.




Figure 1. A sketch of the electric field model.




Figure 2. A plot of the real and imaginary part of the wave frequency  $\omega_r/\Omega_i$  and  $\gamma/\Omega_i$  against  $b$ . Here  $\tau = 0$ ,  $V_E = 2.9$ ,  $\epsilon = 0.3$ ,  $\mu \approx m_i/m_e = 1837$  and  $u = 10^{-3}$ .




Figure 3. A plot of  $\gamma/\Omega_i$  against  $u$ . Here  $b = 0.57$  and other parameters similar to Figure 1.




Figure 4. A plot of  $\omega_r/\Omega_i$  and  $\gamma/\Omega_i$  against  $\epsilon$ . Other parameters are similar to figure 2.




Figure 5. A plot of  $\omega_r/\Omega_i$  against  $\bar{V}_E$ . Other parameters are similar to the previous figures.

#### ACKNOWLEDGMENTS

We would like to thank Dr. J.J. Rasmussen of Riso National Laboratory Denmark, Dr. P. Satyanarayana of SAIC for useful discussions and Dr. R.L. Merlino of the University of Iowa for providing useful information regarding the Iowa double layer experiment. This work is supported by the National Aeronautics and Space Administration and the Office of Naval Research.

#### BIBLIOGRAPHY

1. W.E. Drummond and M.N. Rosenbluth, Phys. Fluids 5, 1507, (1962)
2. R. Hatakeyama and N. Sato, Proc. Plasma Conference, Japan, EP-81-40, p. 31 (1981); M. Nakamura, R. Hatakeyama and N. Sato, Proc. Second Symposium on Plasma Double Layers and Related Topics, p. 171, Innsbruck, Austria (1984)
3. R.L. Merlino, S.L. Cartier, M. Alport and G. Knorr, Proc. Second Symposium on Plasma Double Layers and Related Topics, Innsbruck, Austria (1984).
4. F.S. Mozer, C.W. Carlson, M.K. Hudson, R.B. Torbert, B. Parady and J. Yatteau and M.C. Kelly, Phys. Rev. Lett. 38, 292 (1977); M. Temerin, C. Cattell, R. Lysak, H. Hudson, R.B. Torbert, F.S. Mozer, R.D. Sharp and P.M. Kintner, J. Geophys. Res. 86, 11278(1981).
5. G. Ganguli and P. Bakshi, Phys. Fluids, 25, 1830 (1982).
6. B.B. Kadomtsev, A.B. Mikhailovskii and A.V. Timofeev, Soviet Phys. JETP. 20, 1517 (1965); L.S. Hall and W. Heckrotte, Phys. Fluids, 9, 1496 (1966); A. Bers and S. Gruber, Appl. Phys. Lett. 6, 27 (1965).
7. Y.Y. Lau, C.C. Lin, James W. -K. Mark, Proc. Natl. Acad. Sci. USA, 73, 1379 (1976).

Distribution List

Director  
Naval Research Laboratory  
Washington, D.C. 20375  
ATTN: Code 4700 (26 Copies)  
Code 4701  
Code 4780 (100 copies)  
Code 4706 (P. Rodriguez)

University of Alaska  
Geophysical Institute  
Fairbanks, Alaska 99701  
ATTN: Library  
S. Akasofu  
J. Kan  
J. Roederer  
L. Lee

University of Arizona  
Dept. of Planetary Sciences  
Tucson, Arizona 85721  
ATTN: J.R. Jokipii

University of California, S.D.  
LaJolla, California 92037  
(Physics Dept.):  
ATTN: J.A. Fejer  
T. O'Neil  
J. Winfrey  
Library  
J. Malmberg  
(Dept. of Applied Sciences):  
ATTN: H. Booker

University of California  
Los Angeles, California 90024  
(Physic Dept.):  
ATTN: J.M. Dawson  
B. Fried  
J.G. Morales  
W. Gekelman  
R. Stenzel  
Y. Lee  
A. Wong  
F. Chen  
M. Ashour-Abdalla  
Library  
J.M. Cornwall

(Institute of Geophysics and  
Planetary Physics):  
ATTN: Library  
C. Kennel  
F. Coroniti

Columbia University  
New York, New York 10027  
ATTN: R. Taussig  
R.A. Gross

University of California  
Berkeley, California 94720  
(Space Sciences Laboratory):  
ATTN: Library  
M. Hudson

(Physics Dept.):  
ATTN: Library  
A. Kaufman  
C. McKee

(Electrical Engineering Dept.):  
ATTN: C.K. Birdsall

University of California  
Physics Department  
Irvine, California 92664  
ATTN: Library  
G. Benford  
N. Rostoker  
C. Robertson  
N. Rynn

California Institute of Technology  
Pasadena, California 91109  
ATTN: R. Gould  
L. Davis, Jr.  
P. Coleman

University of Chicago  
Enrico Fermi Institute  
Chicago, Illinois 60637  
ATTN: E.N. Parker  
I. Lerche  
Library

Thayer School of Engineering  
Dartmouth College  
Hanover, NH 03755  
ATTN: Bengt U.O. Sonnerup

University of Colorado  
Dept. of Astro-Geophysics  
Boulder Colorado 80302  
ATTN M. Goldman  
Library

Cornell University  
School of Applied and Engineering Physics  
College of Engineering  
Ithaca, New York 14853  
ATTN: Library  
R. Sudan  
B. Kusse  
H. Fleischmann  
C. Wharton  
F. Morse  
R. Lovelace

Harvard University  
Cambridge, Massachusetts 02138  
ATTN. Harvard College Observatory  
(Library)  
G.S. Vaina  
M. Rosenberg

Harvard University  
Center for Astrophysics  
60 Garden Street  
Cambridge, Massachusetts 02138  
ATTN. G.B. Field

University of Iowa  
Iowa City, Iowa 52240  
ATTN: C.K. Goertz  
D. Gurnett  
G. Knorr  
D. Nicholson

University of Houston  
Houston, Texas 77004  
ATTN: Library

University of Maryland  
Physics Dept.  
College Park, Maryland 20742  
ATTN: K. Papadopoulos  
H. Rowland  
C. Wu

University of Michigan  
Ann Arbor Michigan 48140  
ATTN: E. Fontheim

University of Minnesota  
School of Physics  
Minneapolis, Minnesota 55455  
ATTN Library  
J.R. Winckler  
P. Kellogg

M.I.T.  
Cambridge, Massachusetts 02139  
ATTN: Library  
(Physics Dept.):  
ATTN: B. Coppi  
V. George  
G. Bekefi  
T. Chang  
T. Dupree  
R. Davidson  
(Elect. Engineering Dept.):  
ATTN: R. Parker  
A. Bers  
L. Smullin  
(R.L.E.):  
ATTN: Library  
(Space Science).  
ATTN. Reading Room

Princeton University  
Princeton, New Jersey 08540  
Attn. Physics Library  
Plasma Physics Lab.  
Library  
C. Oberman  
F. Perkins  
T.K. Chu  
H. Okuda  
V. Aranasalan  
H. Hendel  
R. White  
R. Kulsrud  
H. Furth  
S. Yoshikawa  
P. Rutherford

Rice University  
Houston, Texas 77001  
Attn: Space Science Library  
R. Wolf

University of Rochester  
Rochester, New York 14627  
ATTN. A. Simon

**Stanford University**  
**Institute for Plasma Research**  
**Stanford, California 94305**  
ATTN: Library

**Stevens Institute of Technology**  
**Hoboken, New Jersey 07030**  
ATTN: B. Rosen  
G. Schmidt  
M. Seidl

**University of Texas**  
**Austin, Texas 78712**  
ATTN: W. Drummond  
V. Wong  
D. Ross  
W. Horton  
D. Choi  
R. Richardson  
G. Leifeste

**College of William and Mary**  
**Williamsburg, Virginia 23185**  
Attn: F. Crownfield

**Lawrence Livermore Laboratory**  
**University of California**  
**Livermore, California 94551**  
ATTN: Library  
B. Kruer  
J. Thomson  
J. Nucholls  
J. DeGroot  
L. Wood  
J. Emmett  
B. Lasinsky  
B. Langdon  
R. Briggs  
D. Pearlstein

**Los Alamos National Laboratory**  
**P.O. Box 1663**  
**Los Alamos, New Mexico 87545**  
ATTN: Library  
D. Forslund  
J. Kindel  
B. Bezzerides  
H. Dreicer  
J. Ingraham  
R. Boyer  
C. Nielson  
E. Lindman  
L. Thode

**N.O.A.A.**  
**325 Broadway S.**  
**Boulder, Colorado 80302**  
ATTN: J. Weinstock  
Thomas Moore (SEL, R-43)  
W. Bernstein  
D. Williams

**Sandia Laboratories**  
**Albuquerque, New Mexico 87115**  
ATTN: A. Toepfer  
G. Yeonas  
D. VanDevender  
J. Freeman  
T. Wright

**Bell Laboratories**  
**Murray Hill, New Jersey 07974**  
ATTN: A. Hasegawa

**Lockheed Research Laboratory**  
**Palo Alto, California 94304**  
ATTN: M. Walt  
J. Cladis  
J. Siambis

**Physics International Co.**  
**2400 Merced Street**  
**San Leandro, California 94577**  
ATTN: J. Benford  
S. Putnam  
S. Stalings  
T. Young

**Science Applications, Inc.**  
**Lab. of Applied Plasma Studies**  
**P.O. Box 2351**  
**LaJolla, California 92037**  
ATTN: L. Linson  
J. McBride

**NASA/Goddard Space Flight Center**  
**Greenbelt, Maryland 20771**  
ATTN: M. Goldstein  
T. Northrop  
T. Birmingham

**NASA/Goddard Space Flight Center**  
**Greenbelt, MD 20771**  
ATTN: A. Figuero Vinas  
Code 692

TRW Space and Technology Group  
Space Science Dept.  
Building R-1, Room 1170  
One Space Park  
Redondo Beach, California 90278  
ATTN: R. Fredericks  
W.L. Taylor

National Science Foundation  
Atmospheric Research Section (ST)  
Washington, D.C. 20550  
ATTN: D. Peacock

Goddard Space Flight Center  
Code 961  
Greenbelt, Maryland 20771  
ATTN: Robert F. Benson

NASA Headquarters  
Code EE-8  
Washington, D.C. 20546  
ATTN: Dr. E. Schmerling  
Dr. J. Lynch  
Dr. D. Butler

Klumpar, David  
Center for Space Sciences  
P.O. Box 688  
University of Texas  
Richardson, Texas 75080

Leung, Philip  
Dept. of Physics  
University of California  
405 Hilgard Avenue  
Los Angeles, California 90024

Lysak, Robert  
School of Physics and Astronomy  
University of Minnesota  
Minneapolis, MN 55455

Schulz, Michael  
Aerospace Corp.  
A6/2451, P.O. Box 92957  
Los Angeles, California 90009

Shawhan, Stanley  
Dept. of Physics & Astronomy  
University of Iowa  
Iowa City, Iowa 52242

Temerin, Michael  
Space Science Lab.  
University of California  
Berkeley, California 94720

Vlahos, Loukas  
Dept. of Physics  
University of Maryland  
College Park, Maryland 20742

Matthews, David  
IPST  
University of Maryland  
College Park, Maryland 20742

Schunk, Robert W.  
Utah State University  
Dept. of Physics  
Logan, Utah 84322

Director,  
Department of Energy  
ER20:GTN, High Energy &  
Nuclear Physics  
Washington, D.C. 20545  
ATTN: Dr. Terry Godlove

Director,  
Department of Energy  
Office of Inertial Fusion  
Washington, D.C. 20545  
ATTN: Dr. Richard Schriever

Director  
Defense Nuclear Agency  
Washington, D.C. 20305  
ATTN: Dr. Leon Wittwer  
Dr. P. Crowley  
Dr. Carl Fitz

IONOSPHERIC MODELING DISTRIBUTION LIST  
(UNCLASSIFIED ONLY)

PLEASE DISTRIBUTE ONE COPY TO EACH OF THE FOLLOWING PEOPLE (UNLESS OTHERWISE NOTED)

NAVAL RESEARCH LABORATORY

WASHINGTON, D.C. 20375

Code 4100

Dr. H. GURSKY - CODE 4100

Dr. P. GOODMAN - CODE 4180

A.F. GEOPHYSICS LABORATORY

L.G. HANSCOM FIELD

BEDFORD, MA 01731

DR. T. ELKINS

DR. W. SWIDER

MRS. R. SAGALYN

DR. J.M. FORBES

DR. T.J. KENESHEA

DR. W. BURKE

DR. H. CARLSON

DR. J. JASPER

Dr. F.J. RICH

DR. N. MAYNARD

BOSTON UNIVERSITY

DEPARTMENT OF ASTRONOMY

BOSTON, MA 02215

DR. J. AARONS

CORNELL UNIVERSITY

ITHACA, NY 14850

DR. W.E. SWARTZ

DR. D. FARLEY

DR. M. KELLEY

HARVARD UNIVERSITY

HARVARD SQUARE

CAMBRIDGE, MA 02138

DR. M.B. McELROY

DR. R. LINDZEN

INSTITUTE FOR DEFENSE ANALYSIS

400 ARMY/NAVY DRIVE

ARLINGTON, VA 22202

DR. E. BAUER

MASSACHUSETTS INSTITUTE OF

TECHNOLOGY

PLASMA FUSION CENTER

LIBRARY, NW16-262

CAMBRIDGE, MA 02139

NASA

GODDARD SPACE FLIGHT CENTER

GREENBELT, MD 20771

DR. K. MAEDA

DR. S. CURTIS

DR. M. DUBIN

COMMANDER

NAVAL AIR SYSTEMS COMMAND

DEPARTMENT OF THE NAVY

WASHINGTON, D.C. 20360

DR. T. CZUBA

COMMANDER

NAVAL OCEAN SYSTEMS CENTER

SAN DIEGO, CA 92152

MR. R. ROSE - CODE 5321

NOAA

DIRECTOR OF SPACE AND

ENVIRONMENTAL LABORATORY

BOULDER, CO 80302

DR. A. GLENN JEAN

DR. G.W. ADAMS

DR. D.N. ANDERSON

DR. K. DAVIES

DR. R.F. DONNELLY

OFFICE OF NAVAL RESEARCH

800 NORTH QUINCY STREET

ARLINGTON, VA 22217

DR. G. JOINER

PENNSYLVANIA STATE UNIVERSITY

UNIVERSITY PARK, PA 16802

DR. J.S. NISBET

DR. P.R. ROHRBAUGH

DR. L.A. CARPENTER

DR. M. LEE

DR. R. DIVANY

DR. P. BENNETT

DR. F. KLEVANS

SCIENCE APPLICATIONS, INC.

1150 PROSPECT PLAZA

LA JOLLA, CA 92037

DR. D.A. HAMLIN

DR. E. FRIEMAN

STANFORD UNIVERSITY  
STANFORD, CA 94305  
DR. P.M. BANKS

U.S. ARMY ABERDEEN RESEARCH  
AND DEVELOPMENT CENTER  
BALLISTIC RESEARCH LABORATORY  
ABERDEEN, MD  
DR. J. HEIMERL

GEOPHYSICAL INSTITUTE  
UNIVERSITY OF ALASKA  
FAIRBANKS, AK 99701  
DR. L.E. LEE

UNIVERSITY OF CALIFORNIA,  
BERKELEY  
BERKELEY, CA 94720  
DR. M. HUDSON

UNIVERSITY OF CALIFORNIA  
LOS ALAMOS SCIENTIFIC LABORATORY  
J-10, MS-664  
LOS ALAMOS, NM 87545  
DR. M. PONGRATZ  
DR. D. SIMONS  
DR. G. BARASCH  
DR. L. DUNCAN  
DR. P. BERNHARDT  
DR. S.P. GARY

UNIVERSITY OF MARYLAND  
COLLEGE PARK, MD 20740  
DR. K. PAPADOPOULOS  
DR. E. OTT

JOHNS HOPKINS UNIVERSITY  
APPLIED PHYSICS LABORATORY  
JOHNS HOPKINS ROAD  
LAUREL, MD 20810  
DR. R. GREENWALD  
DR. C. MENG

UNIVERSITY OF PITTSBURGH  
PITTSBURGH, PA 15213  
DR. N. ZABUSKY  
DR. M. BIONDI  
DR. E. OVERMAN

UNIVERSITY OF TEXAS  
AT DALLAS  
CENTER FOR RESEARCH SCIENCES  
P.O. BOX 688  
RICHARDSON, TX 75080  
DR. R. HEELIS  
DR. W. HANSON  
DR. J.P. McCLURE

UTAH STATE UNIVERSITY  
4TH AND 8TH STREETS  
LOGAN, UTAH 84322  
DR. R. HARRIS  
DR. K. BAKER  
DR. R. SCHUNK  
DR. J. ST.-MAURICE

PHYSICAL RESEARCH LABORATORY  
PLASMA PHYSICS PROGRAMME  
AHMEDABAD 380 009  
INDIA  
P.J. PATHAK, LIBRARIAN

LABORATORY FOR PLASMA AND  
FUSION ENERGY STUDIES  
UNIVERSITY OF MARYLAND  
COLLEGE PARK, MD 20742  
JHAN VARYAN HELLMAN,  
REFERENCE LIBRARIAN

DIRECTOR OF RESEARCH  
U.S. NAVAL ACADEMY  
ANNAPOLIS, MD 21402  
02CY



DEPARTMENT OF THE NAVY

NAVAL RESEARCH LABORATORY  
Washington, D.C. 20375-5000

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE, \$300

POSTAGE AND FEES PAID  
DEPARTMENT OF THE NAVY

DOD-316

THIRD CLASS MAIL



**END**

**FILMED**

**7-85**

**DTIC**